

Tonmind 15W IP Horn Speaker SIP-S22

1. Produces loud and excellent sound.
2. IP67 waterproof design for installation in outdoors.
3. 48K OPUS Audio Codec enables excellent sound quality .
4. Compatible with VoIP, SIP devices (IPPBX, IP Phone) via SIP.
5. Compatible with IP Camera VMS via ONVIF.
6. Support Pre-recorded messages.
7. Support HPPT API for alarm in transmit.



Specification:

Audio

Decoding OPUS 48 kHz, MP3 44.1 kHz, G.722 ADPCM 16 kHz, G.711 PCMU 8 kHz, G.711 PCMA 8 kHz

Speaker

Max SPL 113dB

Frequency Response 300Hz~8KHz

Frequency Range 500-2KHZ +-10dB
400-12KHZ +-20dB

Harmonic Distortion 0.1@1kHz

Signal to Noise Ratio 91dB

Network

Security: Password protection, IP address filtering, Digest authentication, User access log, firewall

Network Protocol: SIP, ONVIF, HTTP, IPv4, DHCP, RTSP, RTP, RTCP, TCP, UDP, ARP, FTP, TFTP, NFS, NTP

Network Interface: 10/100 Base-TX, RJ45

Support for SIP protocol for intergration with VoIP systimes, intergrated with SIP/PBX.

VoIP: Support SIP features: secondary/backend SIP server, IPv4 (IPv6 futhur)

Support codecs: OPUS, G711U, G711A, GSM, MP3

Amplifier

Amplifier Description: Built-in 15W Amplifier

General

Operating Temperature -30°C — $+60^{\circ}\text{C}$

Operating humility 5%-85%

Material ABS (IP67 water-proof)

Rate Power 15W

Power Supply PoE or 12V

Installation Wall Mounted

Dimensions 200*230mm

Net Weight 1.3 KG

Languages English

Warranty 2 years

Package Includes IP Horn Speaker
User Manual